944-SPEC - 944SPEC - low cost wheel to wheel racing Generated: 25 December, 2025, 06:47

Suspension travel problems - Need help Posted by Kerry Chadderton - 13 Jul 2014 13:05
Hello All,
I'm currently building up an early 944 to SPEC class rules. Upon advice here I purchased the Paragon SPEC-1 suspension kit. I've installed this kit flawlessly, adding the Moohkem (sp) camber plates. I'm following what I've been reading here and I don't know how the hell you guys are lowering your cars so low. I'm touching the Koni bump stops and am still at 6 3/4" at the rockers. 5+" at the front suspension cross member.
What have I done wrong?!
Please point me in the wrong direction. I've only got 30 more days before a non-refundable driving school.
Re: Suspension travel problems - Need help Posted by rd7839 - 13 Jul 2014 16:48
Well, I'll try NOT to point you in the wrong direction!
You want to take the bumpstops off and cut them in half. The rears just stick a screwdriver up under the metal dust cover and pry them out. Some people run without them but I wouldn't recommend that. Some people also cut the rear covers off exposing the shafts which is ok.
If you find you're bouncing too much, you're either too low or need to cut the bumpstops more.
Re: Suspension travel problems - Need help Posted by Kerry Chadderton - 14 Jul 2014 13:34
"Wrong direction". Typo due to panic! Ha!


944-SPEC - 944SPEC - low cost wheel to wheel racing

Generated: 25 December, 2025, 06:47

Thank you for the input. I'll take the advice. Compared to other coilover installs I've done, this setup just doesn't appear to have enough travel. But if you guys are running it...

Out of curiosity what setup are you running? Thanks for your help. Re: Suspension travel problems - Need help Posted by Kurt R - 14 Jul 2014 14:13 How long are your springs? Where is your lower perch on the threaded housing? FYI, I have 10" 350lb springs, Ground Control under mount camber plates, lower perch almost all the way down, I'm at about 6" at the rocker panel. BTW, you can run a school with a stock suspension. They don't care how fast you are, they care how consistent and safe you are. Also, if you look at the eBay pictures of the Mookeeh coilovers, they have pictures of the coilovers with stock strut bearings and their camber plates. You can see how much suspension travel you lose by running them. There's a good writeup of various camber plates on Rennlist Re: Suspension travel problems - Need help Posted by Sterling Doc - 15 Jul 2014 08:41 Copied from my post on the NASA forums:

Mookeh camber plates mount low, and do limit shock travel a bit. The top mount Ground Control, or Racer's Edge plates will give you about another inch. It is typical to cut out about 2/3rds of the bump stop for our purposes. Cut off the tapered end. Keep in mind wheel travel is not the same as shock travel d/t the motion ratio. I would not try to go lower than around 5" at the rockers in your setup, maybe a bit



just using these SPEC veteran's ride height as a guide and cannot do it with my current setup.

I agree with you on school purposes. I had one in May riding on stock, 30 year old springs and brand new "Monroe-Matics". Both my instructors passed me into the advanced solo/instructor group but both were adamant about me being faster, and therefore safer for the others, at the next school. My entry speeds are just too low and I can't safely enter any faster with the old suspension.

 Tha	ınks fo	r you	ır gu	ıidar	ice (guys	Ke	erry						